

Table des matières

- 1. Systematic Reviews and Meta-Analysis** 1
- 2. Clinical Practice Guidelines** 1
 - 2.1. American Physical Therapy Association (APTA, USA) 2023 ⊕ 1
 - 2.2. American Academy of Orthopaedic Surgeons (AAOS, USA) 2020 Ø 1
 - 2.3. American Academy of Orthopaedic Surgeons (AAOS, USA) 2009 Ø 1

Shoulder Osteoarthritis

Arthrose de l'épaule : évaluation de l'acupuncture

1. Systematic Reviews and Meta-Analysis

2. Clinical Practice Guidelines

⊕ positive recommendation (regardless of the level of evidence reported)
∅ negative recommendation, (or lack of evidence)

2.1. American Physical Therapy Association (APTA, USA) 2023 ⊕

Michener LA, Heitzman J, Abbruzzese LD, Bondoc SL, Bowne K, Henning PT, Kosakowski H, Leggin BG, Lucado AM, Seitz AL. Physical Therapist Management of Glenohumeral Joint Osteoarthritis: A Clinical Practice Guideline from the American Physical Therapy Association. Phys Ther. 2023 Jun 5;103(6):pzad041. <https://doi.org/10.1093/ptj/pzad041>

Nonoperative management for GHOA can include nonsteroidal anti-inflammatory drugs (NSAIDs), **acupuncture**, local injections, and rehabilitation management to include physical therapy [◆◇◇◇]

2.2. American Academy of Orthopaedic Surgeons (AAOS, USA) 2020 ∅

Management of Glenohumeral Joint Osteoarthritis. Evidence-Based Clinical Practice Guideline. American Academy of Orthopaedic Surgeons (AAOS). 2020;;76P. [211290]. [URL](#).

In the absence of reliable evidence, the work group cannot recommend for or against the use of the following: **Acupuncture Dry needling** Cannabis Cannabidiol (CBD) oil Capsaicin Shark cartilage Glucosamine and chondroitin Cupping Transcutaneous Electrical Nerve Stimulation (TENS)

2.3. American Academy of Orthopaedic Surgeons (AAOS, USA) 2009 ∅

The Treatment of Glenohumeral Joint Osteoarthritis Guideline and Evidence Report. American Academy of Orthopaedic Surgeons (AAOS). 2009;;201p. [197818].

RECOMMENDATION 1 We are unable to recommend for or against physical therapy in the initial treatment of patients with osteoarthritis of the glenohumeral joint. AAOS Strength of Recommendation: Inconclusive Definition: An Inconclusive recommendation means that there is a lack of compelling evidence resulting in an unclear balance between benefits and potential harm. Implications: Practitioners should feel little constraint in deciding whether to follow a recommendation labeled as Inconclusive and should exercise judgment and be alert to future publications that clarify existing evidence for determining balance of benefits versus potential harm. Patient preference should have a substantial influencing rôle.

Rationale: Despite an exhaustive review of the literature, there was insufficient evidence to make conclusions either in favor of or against the efficacy of physical therapy. This includes the modalities of massage, joint mobilization, joint manipulation, exercise, phonophoresis, iontophoresis, ultrasound, laser, **acupuncture**, and/or electrical stimulation, in the treatment of patients with osteoarthritis of the shoulder. Further, no studies of sufficient quality were found that addressed massage therapy, hydrotherapy, manual therapy and/or mobilization and manipulation. Supporting Evidence There were no studies of sufficient quality identified that examined the use of massage, joint mobilization, joint manipulation, exercise, phonophoresis, iontophoresis, ultrasound, laser treatments, acupuncture, and/or electrical stimulation. In patients with glenohumeral osteoarthritis. Further, no studies of sufficient quality were found that addressed massage therapy, hydrotherapy, manual therapy and/or mobilization and manipulation.

From:
<http://www.wiki-mtc.org/> - Encyclopédie des sciences médicales chinoises

Permanent link:
<http://www.wiki-mtc.org/doku.php?id=acupuncture:evaluation:rhumatologie%20-%20orthopedie:10.%20arthrose%20de%20l%20epaule>

Last update: 22 Jun 2023 07:22